



TOTAL WEIGHT		115 kg	
COATING		EXTERNAL SURFACES OF THE BODY TO BE COATED WITH 1 COAT OF ZINC RICH PLUS 1 COAT OF EPOXY PAINT MINIMUM TOTAL THICKNESS 175 MICRON	
9	HEAVY NUT	ASTM A194 Gr.2H	ITEMS 8 AND 9 SHOWN FOR REFERENCE ONLY AND SHOULD BE PURCHASED SEPARATELY
8	STUD BOLT	ASTM A193 Gr.B7	
7	SOCKET WRENCH	CARBON STEEL SCM435	
6	LEVER	CARBON STEEL SS400	Zn PLATED
5	STOPPER	STAINLESS STEEL SUS316	
4	SEAT	VITON RUBBER	UNIFLOW
3	SHAFT	STAINLESS STEEL SUS304	
2	DISC	JIS G5121, SCS-13A	
1	BODY	JIS G5151, SCPH2	
ITEM	NAME	MATERIAL	REMARKS

0	27/12/2011	FIRST ISSUE	L.Fortuna	A.Siliquini
REV	DATE	REVISION	PREPARED	REVIEWED
SCALE	PROPERTY INFORMATION :			
NOT TO SCALE	THIS DOCUMENT AND DATA DISCLOSED HEREIN OR HEREWITH IS NOT TO BE REPRODUCED, USED, OR DISCLOSED			
A3	WHOLE OR IN PART TO ANYONE WITHOUT PERMISSION OF MANULI RUBBER INDUSTRIES spa			
16" BUTTERFLY VALVE CLASS 150				